

Installation Guide/Update

This document describes the upgrade of BlueSpice from version 2.27.x to the current version BlueSpice 3.

Contents

1 Notes	1
2 Approach	1
3 Setup LocalSettings.php	2
4 Upgrading BlueSpice	3
5 Checking the installation	4

Notes

- Please, read this manual completely and work through the single installation steps one after another.
- For editing the configuration files with a text editor, the files must be saved in UTF-8 coding without BOM (Byte Order Mark).
- The placeholder `<installpath-bluespice>` stands for the path to your BlueSpice installation, e.g `C:\inetpub\wwwroot\bluespice` (Windows regarding the documentation "Folder structure under Windows") or `/var/www/bluespice` (Linux).
- The placeholder `<tomcat-webapps` stands for the path to the webapps directory of your Tomcat server, e.g `C:\Program Files\Apache Software Foundation\Tomcat 8.5\webapps` (Windows) or `/var/lib/tomcat8/webapps` (Linux).

Approach

Make sure that your BlueSpice 2 version is up to date.

It is recommended to first create a complete new installation of BlueSpice 3 in parallel with BlueSpice 2 and then transfer the data to the new system.



First of all, make a complete backup of your installation.

First of all, rename your current installation directory. For example, from `/var/www/bluespice` to `/var/www/bluespice227`.

Then, copy the new program files to the original installation location. Now you should have two directories, for example `/var/www/bluespice227` with the program files of BlueSpice 2.27 and `/var/www/bluespice` with the program files of BlueSpice 3.

Next, uploaded files and configuration files managed by BlueSpice must be transferred to the new installation. Just move the directories `images/` and `extensions/BlueSpiceFoundation/config` from the old installation location to the new one.

Next, the main configuration file must be transferred and adapted. Copy the `LocalSettings.php` file from the old installation location to the new one.

Setup LocalSettings.php

Open the file `<installpath-bluespice>/LocalSettings.php`. Look for the following lines:

```
# End of automatically generated settings.  
# Add more configuration options below.
```

Delete all following lines. If you have made additional configurations - apart from steps outlined in the old installation manual - below these lines, make sure to keep these additional configurations.

Insert the following line at the end of `LocalSettings.php`:

```
require_once "$IP/LocalSettings.BlueSpice.php";
```


Checking the installation

Open `<bluespice-url>` in your browser. Your BlueSpice upgrade should now be completed. Logging in with your access data should be possible.