# Contents

1. Setup:Portal ..... 2
2. AutoDoc:AutoDoc:BlueSpiceDrawioConnector ..... 8
3. AutoDoc:AutoDoc:BlueSpiceExpiry ..... 11

# Setup:Portal

VisualWikitext

| Latest revision as of 11:51, 14 December 2021 (view source)<br>hw>Unknown user<br>No edit summary | Latest revision as of 11:51, 14 December 2021 (view source)<br>hw>Unknown user<br>No edit summary |
|---|---|
| **Line 1:** | **Line 1:** |
| ==DescriptionMsg== | ==DescriptionMsg== |
| {{AutoDocDescriptionMsg | {{AutoDocDescriptionMsg |
| \|name = **BlueSpiceDrawioConnector** | \|name = **BlueSpiceExpiry** |
| \|desc = {{int:bs-**drawioconnector**-extension-description | \|desc = {{int:bs-**expiry**-extension-description |
| }} | }} |
| }} | }} |
| **Line 17:** | **Line 17:** |
| \|extensions = {{AutoDocVersion | \|extensions = {{AutoDocVersion |
| \|name = BlueSpiceFoundation | \|name = BlueSpiceFoundation |
| \|version = **3.3** | \|version = **4.0** |
| | **}}** |
| | **{{AutoDocVersion** |
| | **\|name = BlueSpiceReminder** |
| | **\|version = 4.0** |
| }} | }} |
| }} | }} |
| **Line 23:** | **Line 27:** |
| {{AutoDocIntegratesInto | {{AutoDocIntegratesInto |
| \|into = {{AutoDocListItem | \|into = {{AutoDocListItem |
| \|item = **BlueSpiceVisualEditorConnector** | \|item = **BlueSpiceEchoConnector** |
| | **}}** |
| | **{{AutoDocListItem** |
| | **\|item = BlueSpiceReminder** |
| | **}}** |
| | **{{AutoDocListItem** |
| | **\|item = BlueSpiceSMWConnector** |
| | **}}** |
| | **}}** |
| | **==SpecialPages==** |
| | **{{AutoDocSpecialPages** |

```
|SpecialPages = {{AutoDocCallback
|name = Expiry
|callback = SpecialExpiry
}}
}}
==Permissions==
{{AutoDocPermissions
|permissions = {{AutoDocPermission
|name = expirearticle
|type = namespace
|roles = admin, editor, maintenanceadmin
|desc = {{int:right-expirearticle
}}
}}
{{AutoDocPermission
|name = expiry-delete
|type = namespace
|roles = admin, editor, maintenanceadmin
|desc = {{int:right-expiry-delete
}}
}}
}}
==Config==
{{AutoDocConfig
|config = {{AutoDocOption
|name = ExpiryEnablePDFWatermark
|value = <nowiki>true</nowiki>
}}
{{AutoDocOption
|name = ExpiryEnablePageWatermark
|value = <nowiki>true</nowiki>
}}
{{AutoDocOption
|name = ExpiryEnablePrintWatermark
|value = <nowiki>true</nowiki>
}}
}}
==ApiModules==
```

| | |
|---|---|
| | **{{AutoDocApiModules** |
| | **\|APIModules = {{AutoDocCallback** |
| | **\|name = bs-expiry-store** |
| | **\|callback = ApiExpiryStore** |
| | **}}** |
| | **{{AutoDocCallback** |
| | **\|name = bs-expiry-tasks** |
| | **\|callback = ApiExpiryTasks** |
| }} | }} |
| }} | }} |

**Line 29:**

**Line 89:**

| | |
|---|---|
| {{AutoDocHooks | {{AutoDocHooks |
| \|Hooks = {{AutoDocCallback | \|Hooks = {{AutoDocCallback |
| \|name = [https://www.mediawiki.org/wiki/Manual:Hooks/**BSInsertMagicAjaxGetData BSInsertMagicAjaxGetData**] | \|name = [https://www.mediawiki.org/wiki/Manual:Hooks/**BSUEModulePDFBeforeAddingStyleBlocks BSUEModulePDFBeforeAddingStyleBlocks**] |
| \|callback = \BlueSpice**DrawioConnector**\Hook**BSInsertMagicAjaxGetData****AddDrawioTag**::callback | \|callback = \BlueSpice**Expiry**\Hook**BSUEModulePDFBeforeAddingStyleBlocks****AddPDFWatermarkStyles::callback** |
| | **}}** |
| | **{{AutoDocCallback** |
| | **\|name = [https://www.mediawiki.org/wiki/Manual:Hooks/BSUEModulePDFgetPage BSUEModulePDFgetPage]** |
| | **\|callback = \BlueSpice\Expiry\Hook\BSUEModulePDFgetPage\AddPDFWatermarkClass::callback** |
| | **}}** |
| | **{{AutoDocCallback** |
| | **\|name = [https://www.mediawiki.org/wiki/Manual:Hooks/BeforePageDisplay BeforePageDisplay]** |
| | **\|callback = \BlueSpice\Expiry\Hook\BeforePageDisplay\AddResources::callback, \BlueSpice\Expiry\Hook\BeforePageDisplay\AddPageWatermark::callback, \BlueSpice\Expiry\Hook\BeforePageDisplay\AddPrintWatermark::callback** |
| | **}}** |
| | **{{AutoDocCallback** |
| | **\|name = [https://www.mediawiki.org/wiki/Manual:Hooks/BlueSpiceDiscoveryTemplateDataProviderAfterInit BlueSpiceDiscoveryTemplateDataProviderAfterInit]** |
| | **\|callback = discovery-skin** |
| | **}}** |
| | **{{AutoDocCallback** |

| | |
|---|---|
| | **\|name = [https://www.mediawiki.org/wiki/Manual:Hooks/ChameleonSkinTemplateOutputPageBeforeExec ChameleonSkinTemplateOutputPageBeforeExec]** |
| | **\|callback = \BlueSpice\Expiry\Hook\ChameleonSkinTemplateOutputPageBeforeExec\AddToGlobalActions::callback, \BlueSpice\Expiry\Hook\ChameleonSkinTemplateOutputPageBeforeExec\AddExpiredInfo::callback** |
| | **}}** |
| | **{{AutoDocCallback** |
| | **\|name = [https://www.mediawiki.org/wiki/Manual:Hooks/LoadExtensionSchemaUpdates LoadExtensionSchemaUpdates]** |
| | **\|callback = \BlueSpice\Expiry\Hook\LoadExtensionSchemaUpdates\AddExpiryTable::callback** |
| | **}}** |
| | **{{AutoDocCallback** |
| | **\|name = [https://www.mediawiki.org/wiki/Manual:Hooks/MWStakeCommonUIRegisterSkinSlotComponents MWStakeCommonUIRegisterSkinSlotComponents]** |
| | **\|callback = common-user-interface** |
| | **}}** |
| | **{{AutoDocCallback** |
| | **\|name = [https://www.mediawiki.org/wiki/Manual:Hooks/SkinTemplateNavigation::Universal SkinTemplateNavigation::Universal]** |
| | **\|callback = \BlueSpice\Expiry\Hook\SkinTemplateNavigationUniversal\AddExpiryCreateEntry**::callback |
| }} | }} |
| {{AutoDocCallback | {{AutoDocCallback |
| \|name = [https://www.mediawiki.org/wiki/Manual:Hooks/**BSUEModulePDFFindFiles BSUEModulePDFFindFiles**] | \|name = [https://www.mediawiki.org/wiki/Manual:Hooks/**StandardDialogsRegisterPageInfoPanelModules StandardDialogsRegisterPageInfoPanelModules**] |
| \|callback = **BlueSpiceDrawioConnector::onBSUEModulePDFFindFiles** | \|callback = **standard-dialogs** |
| }} | }} |
| {{AutoDocCallback | {{AutoDocCallback |
| \|name = [https://www.mediawiki.org/wiki/Manual:Hooks/**ImagePageAfterImageLinks ImagePageAfterImageLinks**] | \|name = [https://www.mediawiki.org/wiki/Manual:Hooks/**wgQueryPages wgQueryPages**] |
| \|callback = **BlueSpiceDrawioConnector**::**onImagePageAfterImageLinks** | \|callback = **ExpiryHooks**::**onQueryPages** |
| }} | }} |
| }} | }} |
| | |

## Latest revision as of 11:51, 14 December 2021

Contents

1 DescriptionMsg ..... 7
2 License ..... 7
3 Requirements ..... 7
4 IntegratesInto ..... 7
5 SpecialPages ..... 7
6 Permissions ..... 7
6.1 Permissions ..... 7
7 Config ..... 7
7.1 Configuration ..... 7
8 ApiModules ..... 8
8.1 API Modules ..... 8
9 Hooks ..... 8
9.1 Hooks ..... 8

## DescriptionMsg

Pages can be marked as expired.

## License

GPL-3.0-only

## Requirements

- MediaWiki: 1.35.0

BlueSpiceFoundation: 4.0

BlueSpiceReminder: 4.0

## IntegratesInto

- BlueSpiceEchoConnector
- BlueSpiceReminder
- BlueSpiceSMWConnector

## SpecialPages

- Expiry

## Permissions

### Permissions

| Name | Description | Role |
|---|---|---|
| expirearticle | Expire pages | admin, editor, maintenanceadmin |
| expiry-delete | Remove expiration from pages | admin, editor, maintenanceadmin |

## Config

### Configuration

| Name | Value |
|---|---|
| ExpiryEnablePDFWatermark | true |

| Name | Value |
|---|---|
| ExpiryEnablePageWatermark | true |
| ExpiryEnablePrintWatermark | true |

## ApiModules

### API Modules

- bs-expiry-store
- bs-expiry-tasks

## Hooks

### Hooks

- BSUEModulePDFBeforeAddingStyleBlocks
- BSUEModulePDFgetPage
- BeforePageDisplay
- BlueSpiceDiscoveryTemplateDataProviderAfterInit
- ChameleonSkinTemplateOutputPageBeforeExec
- LoadExtensionSchemaUpdates
- MWStakeCommonUIRegisterSkinSlotComponents
- SkinTemplateNavigation::Universal
- StandardDialogsRegisterPageInfoPanelModules
- wgQueryPages

# AutoDoc:AutoDoc:BlueSpiceExpiry: Difference between revisions

**Latest revision as of 11:51, 14 December 2021 (view source)**
hw>Unknown user
No edit summary

(No difference)

## Latest revision as of 11:51, 14 December 2021

Contents

1 DescriptionMsg ..... 10
2 License ..... 10
3 Requirements ..... 10
4 IntegratesInto ..... 10
5 SpecialPages ..... 10
6 Permissions ..... 10
6.1 Permissions ..... 10
7 Config ..... 10
7.1 Configuration ..... 10
8 ApiModules ..... 11
8.1 API Modules ..... 11
9 Hooks ..... 11
9.1 Hooks ..... 11

## DescriptionMsg

Pages can be marked as expired.

## License

GPL-3.0-only

## Requirements

- MediaWiki: 1.35.0

BlueSpiceFoundation: 4.0

BlueSpiceReminder: 4.0

## IntegratesInto

- BlueSpiceEchoConnector
- BlueSpiceReminder
- BlueSpiceSMWConnector

## SpecialPages

- Expiry

## Permissions

### Permissions

| Name | Description | Role |
|---|---|---|
| expirearticle | Expire pages | admin, editor, maintenanceadmin |
| expiry-delete | Remove expiration from pages | admin, editor, maintenanceadmin |

## Config

### Configuration

| Name | Value |
|---|---|
| ExpiryEnablePDFWatermark | true |

| Name | Value |
|---|---|
| ExpiryEnablePageWatermark | true |
| ExpiryEnablePrintWatermark | true |

## ApiModules

### API Modules

- bs-expiry-store
- bs-expiry-tasks

## Hooks

### Hooks

- BSUEModulePDFBeforeAddingStyleBlocks
- BSUEModulePDFgetPage
- BeforePageDisplay
- BlueSpiceDiscoveryTemplateDataProviderAfterInit
- ChameleonSkinTemplateOutputPageBeforeExec
- LoadExtensionSchemaUpdates
- MWStakeCommonUIRegisterSkinSlotComponents
- SkinTemplateNavigation::Universal
- StandardDialogsRegisterPageInfoPanelModules
- wgQueryPages

# AutoDoc:AutoDoc:BlueSpiceExpiry: Difference between revisions

**Latest revision as of 11:51, 14 December 2021 (view source)**
hw>Unknown user
No edit summary

(No difference)

## Latest revision as of 11:51, 14 December 2021

Contents

1 DescriptionMsg ..... 13
2 License ..... 13
3 Requirements ..... 13
4 IntegratesInto ..... 13
5 SpecialPages ..... 13
6 Permissions ..... 13
6.1 Permissions ..... 13
7 Config ..... 13
7.1 Configuration ..... 13
8 ApiModules ..... 14
8.1 API Modules ..... 14
9 Hooks ..... 14
9.1 Hooks ..... 14

## DescriptionMsg

Pages can be marked as expired.

## License

GPL-3.0-only

## Requirements

- MediaWiki: 1.35.0

BlueSpiceFoundation: 4.0

BlueSpiceReminder: 4.0

## IntegratesInto

- BlueSpiceEchoConnector
- BlueSpiceReminder
- BlueSpiceSMWConnector

## SpecialPages

- Expiry

## Permissions

### Permissions

| Name | Description | Role |
|---|---|---|
| expirearticle | Expire pages | admin, editor, maintenanceadmin |
| expiry-delete | Remove expiration from pages | admin, editor, maintenanceadmin |

## Config

### Configuration

| Name | Value |
|---|---|
| ExpiryEnablePDFWatermark | true |

| Name | Value |
| --- | --- |
| ExpiryEnablePageWatermark | true |
| ExpiryEnablePrintWatermark | true |

## ApiModules

### API Modules

- bs-expiry-store
- bs-expiry-tasks

## Hooks

### Hooks

- BSUEModulePDFBeforeAddingStyleBlocks
- BSUEModulePDFgetPage
- BeforePageDisplay
- BlueSpiceDiscoveryTemplateDataProviderAfterInit
- ChameleonSkinTemplateOutputPageBeforeExec
- LoadExtensionSchemaUpdates
- MWStakeCommonUIRegisterSkinSlotComponents
- SkinTemplateNavigation::Universal
- StandardDialogsRegisterPageInfoPanelModules
- wgQueryPages