Contents

1. Templates download 2
2. Templates download/Action points 2
3. Templates download/Banner 3
4. Templates download/BookTOC 6
5. Templates download/ButtonLink 7
6. Templates download/Calendar 8
7. Templates download/Employee 8
8. Templates download/IMS Documents 9
9. Templates download/Icon 10
10. Templates download/Image cards 11
11. Templates download/Language switcher 13
12. Templates download/Mention 15
13. Templates download/Messagebox 16
14. Templates download/Minutes JF management 16
15. Templates download/Minutes customer projects 17
16. Templates download/Minutes for teams 17
17. Templates download/PortalFlex 18
18. Templates download/Risk management 19
19. Templates download/SVG 20
20. Templates download/Subpages 20
21. Templates download/TOClimit 21
22. Templates download/Transclusion 22

Templates download

The content format pdf is not supported by the content model wikitext.

Return to Main Page.

View source for Templates download/Action points

You do not have permission to edit this page, for the following reasons:

- The action you have requested is limited to users in one of the groups: Users, Administrators, ES_editors, editor.
- The action you have requested is limited to users in the group: user.

You can view and copy the source of this page.

{{Textbox|boxtype=note|header=|text=Starting with BlueSpice 4.4, it is possible to [[Manual:Extension /SimpleTasks|create tasks]] by default. Therefore, importing this template is no longer necessary.|icon=yes}} [[Media:HW-Action points.zip|Download]]

 '''Action points on a page:'''
 [[File:HW-AP.png|450x450px|alt=action points on a single wiki page]]

 '''All open action points in the wiki:'''
 [[File:HW-AP-list.png|450x450px|alt=list of all open action points]] This template creates action points that can be included on meeting minutes or other wiki pages. In addition, an overview page of all open tasks is included. It requires [[Reference:Semantic MediaWiki|SemanticMediaWiki]] (included in BlueSpice pro). ==Importing the template== The import file is included in the archive file "HW-Action points.zip". Unpack the zip file first. On the page "Special:Import" follow these steps: #'''Select file''' and choose "HW-Action points.xml". #'''Enter''' an Interwiki prefix. Since this field is required, simply add "hw" (for hallowelt). #'''Keep''' the selection "Import to default locations". #'''Click''' "Upload file..." . The template is now available in your wiki. ==Pages included in the import== The xml import creates the following files in your wiki: *Template:Action points *Template:Action points/styles.css *Action points list (Page in the main namespace) *Property:Ap-duedate *Property:Ap-name *Property:Ap-status *Property:Ap-description
 ==Using the template== #Add the template from the [[Manual:Extension /VisualEditor|VisualEditor]] insert-dialog. #Fill in the form fields as needed. {{Messagebox|boxtype=note|Note text=If, after importin the template to your wiki, the input fields are not displayed when you first integrate it into a wiki page, you need to open the template in the template namespace, make a change (e.g. insert spaces) and save the template. The input fields should now be displayed correctly.}} [[File:HW-AP-templatedata. png|center|thumb|450x450px|Input fields for action points|link=Special:FilePath/HW-AP-templatedata.png]] {| class="contenttable-blue" style="width:950px;" |+ style="box-sizing: inherit; padding-top: 8px; padding-bottom: 8px; color: rgb(119, 119, 119); text-align: left;" | ! style="background-color:rgb(239, 243, 249);text-align:inherit; box-sizing:inherit;padding:4px;border:1px solid rgb(177, 185, 207);color:rgb(62, 83, 137);" |Input field ! style=" background-color:rgb(239, 243, 249);text-align:inherit;box-sizing:inherit;padding:4px;border:1px solid rgb(177, 185, 207);color:rgb(62, 83, 137);" |Description |- style="box-sizing: inherit; border: 1px solid rgb(177, 185, 207); border-spacing: 0px; border-collapse: collapse; padding: 10px;" | style="box-sizing:inherit;padding:10px;border: 1px solid rgb(177, 185, 207);border-spacing:0px;border-collapse:collapse;" |Who? | style="box-sizing:inherit; padding:10px;border:1px solid rgb(177, 185, 207);border-spacing:0px;border-collapse:collapse;" |Person that needs to complete the task. Pulls up the wiki users, but entering any name is possible. |- style="box-sizing: inherit; border: 1px solid rgb(177, 185, 207); border-spacing: 0px; border-collapse: collapse; padding: 10px;" | style="box-sizing:inherit;padding:10px;border:1px solid rgb(177, 185, 207);border-spacing:0px;border-collapse: collapse;" |What? | style="box-sizing:inherit;padding:10px;border:1px solid rgb(177, 185, 207);border-spacing: 0px;border-collapse:collapse;" |Task description |- style="box-sizing: inherit; border: 1px solid rgb(177, 185, 207); border-spacing: 0px; border-collapse: collapse; padding: 10px;" | style="box-sizing:inherit;padding:10px; border:1px solid rgb(177, 185, 207);border-spacing:0px;border-collapse:collapse;" |Status | style="box-sizing: inherit;padding:10px;border:1px solid rgb(177, 185, 207);border-spacing:0px;border-collapse:collapse;" |open or closed. |- style="box-sizing: inherit; border: 1px solid rgb(177, 185, 207); border-spacing: 0px; border-collapse: collapse; padding: 10px;" | style="box-sizing:inherit;padding:10px;border:1px solid rgb(177, 185, 207); border-spacing:0px;border-collapse:collapse;" |Due date | style="box-sizing:inherit;padding:10px;border:1px solid rgb(177, 185, 207);border-spacing:0px;border-collapse:collapse;" |Date, should be entered as YYYY/MM /DD |- style="box-sizing: inherit; border: 1px solid rgb(177, 185, 207); border-spacing: 0px; border-collapse: collapse; padding: 10px;" | style="box-sizing:inherit;padding:10px;border:1px solid rgb(177, 185, 207);border-spacing:0px;border-collapse:collapse;" |Comment | style="box-sizing:inherit;padding:10px;border:1px solid rgb (177, 185, 207);border-spacing:0px;border-collapse:collapse;" |Use for any additional information. The idea is to provide a closing comment. |} ==Task overview list== The included page "Action points list" shows all open tasks. It uses [[SMW queries|SMW]] to display a table of all open action points in the wiki, but can be easily adjusted to filter by namespace or subpages (to filter out meeting minutes, for example).
 [[File:HW-AP-list.png|alt=List of all open tasks|center|thumb|650x650px|List of all open action points]]
 __NOTOC__

Templates used on this page:

- Template:Messagebox (view source)
- Template:Messagebox/styles.css (view source)
- Template:Textbox (view source)
- Template:Textbox/styles.css (view source)

Return to Templates download/Action points.

View source for Templates download/Banner

You do not have permission to edit this page, for the following reasons:

- The action you have requested is limited to users in one of the groups: Users, Administrators, ES_editors, editor.
- The action you have requested is limited to users in the group: user.

You can view and copy the source of this page.

{{Textbox|boxtype=note|header=|text=Starting with BlueSpice 4.3, an identical template "Bannerbox" is already preloaded. Therefore, importing this template is no longer necessary.|icon=yes}} [[Media:HW-banner.zip|Download]] [[File:banner-example.png|450x450px|link=Special:FilePath/banner-example.png]] This template creates a page banner that you can include on portal pages, for example. You can see an example here in the Helpdesk on the page [[Community]]. ==Importing the template== The import file is included in the archive file "HW-banner.zip". Unpack the zip file first. On the page "Special:Import" follow these steps: #"'Select file"' and choose "HW-banner.xml". #"'Enter"' an Interwiki prefix. Since this field is required, simply add "hw" (for hallowelt). #"'Keep"' the selection "Import to default locations". #"'Click"' "Upload file..." The template is now available in your wiki. ==Pages included in the import== The xml import creates the following files in your wiki: *Template:Banner *Template:Banner/styles.css ==Creating a banner== #From the Visual Editor "Insert > Template" menu, add the template "Banner".
[[File:step4.png|thumb|Inserting the template through VisualEditor|462x462px|alt=Inserting the template through VisualEditor|center]] #Click on the inserted template to view the available parameters for formatting the look of the banner.
 [[File:step5.png|thumb|center|450x450px|alt=Available banner settings|Available banner settings]] {{Messagebox|boxtype=important|Note text=The settings only take effect after you save the page if you have just inserted the banner template on your page.}} All settings for the banner are optional. This means that a box can be generated without image, heading, or text. ==Example settings == [[File:hw-banner-vorlage.png|center|thumb|750x750px|Banner settings|link=Special:FilePath/hw-banner-vorlage.png|alt=]] {| class="wikitable" style="width: 100%;" ! style="background-color:rgb(234, 236, 240);text-align:center;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" class="" | ! style="background-color:rgb(234, 236, 240);text-align:center;width:200px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" class="" |Element ! style="background-color:rgb(234, 236, 240);text-align:center;width:180px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" class="" |Value ! style="background-color:rgb(234, 236, 240);text-align:center;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" class="" |Description |- style="box-sizing: inherit;" | rowspan="3" style="box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |1 | style="width:200px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |Banner image | style="width:180px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |QM:Flower_white.jpg | style="box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |Image name (with namespace prefix, if it exists, but without the "File:" prefix). The banner image is optional. |- style="box-sizing: inherit;" | style="width:200px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |Image width | style="width:180px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |200 | style="box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |Number. The width will automatically be used as pixel-value. Default value: "200" |- style="box-sizing: inherit;" | style="width:200px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |Image alignment | style="width:180px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |left, right | style="box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |Shows the imag to the left or right. Default value: "left". |- style="box-sizing: inherit;" | rowspan="3" style="box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |2 | style="width:200px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |Heading | style="width:180px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |Meine Überschrift | style="box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |Heading text |- style="box-sizing: inherit;" | style="width:200px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |Heading size | style="width:180px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |1.6em | style="box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |Size can also be entered as 16px or any other css size value. Default value: "1.6em". |- style="box-sizing: inherit;" | style="width:200px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |Heading color | style="width:180px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |#444444 | style="box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |Color as [https://www.w3schools.com/colors/colors_picker.asp hex value]. |- style="box-sizing: inherit;" | rowspan="3" style="box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |3 | style="width:200px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |Text | style="width:180px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |Das ist der Inhalt. | style="box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |Text of the box. |- style="box-sizing: inherit;" | style="width:200px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |Text size | style="width:180px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |1.2em | style="box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |"see Heading size" |- style="box-sizing: inherit;" | style="width:200px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |Text color | style="width:180px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |#444444 | style="box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |"see Heading color" |- style="box-sizing: inherit;" | style="box-sizing:inherit;padding:0.2em 0.4em;border:

1px solid rgb(162, 169, 177);" |4 | style="width:200px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |Content padding | style="width:180px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |20px | style="box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |Distance of the title/text area to the box and the image. Default value:"10px." |- style="box-sizing: inherit;" | style="box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |5 | style="width: 200px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |Padding of the container box | style="width:180px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |10px | style="box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |Padding of the box itself. Default value: "0." |- style="box-sizing: inherit;" | style="box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |6 | style="width:200px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |Background color | style="width:180px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb (162, 169, 177);" |#efefef | style="box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |Color as [https://www.w3schools.com/colors/colors_picker.asp hex value] . Default value "#efefef" (a light grey) |- |7 |Background icon |bgicon1, bgicon2, bgicon3, swoosh |Adds a [[Templates download/Banner#Background effect|background effect]] to the banner |} === Background effect === The following background effects are available by default, here shown in different banner color variations: {| class="contenttable" style="width: 100%;" ! style="width:150px;" |Bgicon ! style="width:680px;" |Result ! Settings |- | style="width:150px;" |bgicon1{{Bsvs|bsvFrom=4.3|bsvTo=|bsvFeature=}} | style="width:680px;" | [[File:banner-bgicon1.png|alt=Banner with bgicon1 as background effect|650x650px]] |Heading color: #2e6096 Text color: #2e6096 Background color: #e9e9ee Background icon: bgicon1 |- | style="width:150px;" |bgicon2 | style="width:680px;" |[[File:banner-bgicon2.png|alt=Banner with bgicon2 as background effect|650x650px]] |Heading color: #ffffff Text color: #ffffff Background color: #2e6096 Background icon: bgicon2 |- | style="width: 150px;" |bgicon3{{Bsvs|bsvFrom=4.3|bsvTo=|bsvFeature=}} | style="width:680px;" |[[File:banner-bgicon3. png|alt=Banner with bgicon3 as background effect|650x650px]] |Heading color: #ffffff Text color: #ffffff Background color: #747474 Background icon: bgicon3 |- | style="width:150px;" |swoosh | style="width:680px;" | [[File:banner-swoosh.png|alt=Banner with swoosh as background effect|650x650px]] |Heading color: #2e6096 Text color: #2e6096 Background color: #e9e9ee Background icon: bgicon1 |} __NOTOC__ [[en: Vorlagen_Download/Seitenbanner]] [[en:{{FULLPAGENAME}}]]

Templates used on this page:

- Template:Bsvs (view source)
- Template:Bsvs/styles.css (view source)
- Template:Messagebox (view source)
- Template:Messagebox/styles.css (view source)
- Template:Textbox (view source)
- Template:Textbox/styles.css (view source)

Return to Templates download/Banner.

View source for Templates download/BookTOC

You do not have permission to edit this page, for the following reasons:

- The action you have requested is limited to users in one of the groups: Users, Administrators, ES_editors, editor.
- The action you have requested is limited to users in the group: user.

You can view and copy the source of this page.

 [[Media:HW-Bookchapters.zip|Download]] [[File:BookTOC.png|alt=Embedded book TOC|300x300px]] This template allows to embed the Table of Contents of a book on any wiki page. It can be inserted into a wiki page via the VisualEditor "Insert > Template" menu. ==Importing the template== The import file is included in the archive file "HW-Bookchapters.zip". Unpack the zip file first. On the page "Special:Import" follow these steps: #"'Select file'" and choose

"hwBookchapters.xml". #"'Enter'" an Interwiki prefix. Since this field is required, simply add "hw" (for hallowelt). #"'Keep'" the selection "Import to default locations". #"'Click'" "Upload file..." . The template is now available in your wiki. == Pages included in the import== The xml import creates the following files in your wiki: *Template:Bookchapters *Template:Bookchapters/styles.css ==Using the template== # "'Insert'" the template from the Visual Editor. #"'Enter'" the title of the book. #"'Click'" "Apply changes". [[File:BookTOC.png|alt=Embedded book TOC|Book chapters on a wiki page|thumb|center|350x350px]] The table of contents is now displayed on the page. {{Messagebox|boxtype=note|Note text=It is not possible to collapse the sub-chapters.}}
 __NOTOC__

Templates used on this page:

- Template:Messagebox (view source)
- Template:Messagebox/styles.css (view source)

Return to Templates download/BookTOC.

View source for Templates download/ButtonLink

You do not have permission to edit this page, for the following reasons:

- The action you have requested is limited to users in one of the groups: Users, Administrators, ES_editors, editor.
- The action you have requested is limited to users in the group: user.

You can view and copy the source of this page.

{{Textbox|boxtype=note|header=|text=Starting with BlueSpice 4.3, these button links can be inserted as a [[Manual:Extension/ContentDroplets|Content droplet]]. Therefore, importing this template is no longer necessary.|icon=yes}} [[Media:HW-ButtonLink.zip|Download]] [[File:HW-ButtonLink.png|350x350px]] This template creates a link that is styled as a button. It can be inserted into a wiki page via the VisualEditor "Insert > Template" menu. ==Importing the template== The import file is included in the archive file "HW-ButtonLink.zip". Unpack the zip file first. On the page "Special:Import" follow these steps: #"'Select file'" and choose "HW-ButtonLink.xml". #"'Enter'" an Interwiki prefix. Since this field is required, simply add "hw" (for hallowelt). #"'Keep'" the selection "Import to default locations". #"'Click'" "Upload file..." . The template is now available in your wiki. {{Messagebox|boxtype=important|Note text=The input fields for the template parameters are usually not automatically available after importing the template to your wiki . You have to open the imported template file and make an edit (e.g., add a space and then save the page) to activate the template data functionality. The input fields should now be displayed correctly when you use the template on a page.}} ==Pages included in the import== The xml import creates the following files in your wiki: *Template:ButtonLink ==Using the template== #Add the template from the [[Manual:Extension/VisualEditor|VisualEditor]] insert-dialog. #Fill in the form fields as needed. [[File:HW-ButtonLink-templatedata.png|center|thumb|450x450px|Insert-dialog for button link|link=Special:FilePath/HW-ButtonLink-templatedata.png]] ===Settings=== {| class="contenttable-blue" style="width:100%;" ! style="width:200px;" |Input field !Description |- | style="width:200px;" |Is this an external link? |yes = the link target starts with http:// or https:// Leave blank for internal wiki page |- | style="width:200px;" |Link target |Name of the wiki page or the website |- | style="width:200px;" |Label |Label shown on the button |- | style="width:200px;" |Background color |Possible button colors: red, blue (leave blank for white) |}
 __NOTOC__

Templates used on this page:

- Template:Messagebox (view source)
- Template:Messagebox/styles.css (view source)
- Template:Textbox (view source)
- Template:Textbox/styles.css (view source)

Return to Templates download/ButtonLink.

View source for Templates download/Calendar

You do not have permission to edit this page, for the following reasons:

- The action you have requested is limited to users in one of the groups: Users, Administrators, ES_editors, editor.
- The action you have requested is limited to users in the group: user.

You can view and copy the source of this page.

 [[Media:HW-Calendar.zip|Download]] [[File:calendar.png|450x450px]] This template creates a simple company calendar. ==Importing the template== The import file is included in the archive file "HW-Calendar.zip". Unpack the zip file first. On the page "Special:Import" follow these steps: #"'Select file"' and choose "HW-Calendar.xml". #"'Enter"' an Interwiki prefix. Since this field is required, simply add "hw" (for hallowelt). #"'Keep"' the selection "Import to default locations". #"'Click"' "Upload file..." . The template is now available in your wiki. ==Preparation== {{Messagebox|boxtype=important|icon=|Note text=The appointments are created in the Events namespace by default. Make sure it exists in your wiki before creating an event. The following settings need to be activated: *Subpages *Content namespace *Visual editor *Semantic MediaWiki|bgcolor=}} [[File:Calendar namespace Events.png|alt=Events namespace settings|center|thumb|450x450px|Events namespace settings]] If you want to use a different namespace, the form fields in the source text of the main calendar page must be adjusted accordingly: Change the parameter namespace=events on the page "Calendar" as needed. <syntaxhighlight lang="text"> {{#forminput:form=Event|query string=namespace=events}} </syntaxhighlight> ==Usage== {{Messagebox|boxtype=Note|icon=|Note text=It is not possible to create an event page as a recurring event. An event page can however have multiple subentries with their own dates. These subentries are also shown on the calender.|bgcolor=}} ===Create event=== # "'Go"' to the page "Calendar" (via the search or the browser address bar). # "'Create"' a new event using the "Create new event" input field. Enter a suitable page name here (e.g. Summer festival 2022). # "'Fill out"' the event information form. # "'Save"' the form. If you want to add more dates to the event that should also appear in the calendar overview (e.g., a date to prepare for the summer festival), you can edit the page again: [[File:eventedit.png|alt=Edit an event|center|thumb|Edit an event]] # "'Switch"' to form-editing mode on the event page. # "'Click ""'Add another entry". # "'Activate"' the "More info" checkbox if you want to create an additional subpage for the entry (e.g., for event planning). # "'Save"' the page. If you have activated the "More info" checkbox, the event name is now displayed as a link to a subpage. ==Pages included in the import== The xml import creates the following files in your wiki: * Calendar * Template:Calendar * Template:Calendar/styles.css * Template:Event * Template:EventSub * Template:EventlistEnd * Template:EventlistRow * Template:EventlistStart * Form:Event * Form:Events * Property:Event/End * Property:Event/Eventname * Property:Event/Participants * Property:Event/Start

Templates used on this page:

- Template:Messagebox (view source)
- Template:Messagebox/styles.css (view source)

Return to Templates download/Calendar.

View source for Templates download/Employee

You do not have permission to edit this page, for the following reasons:

- The action you have requested is limited to users in one of the groups: Users, Administrators, ES_editors, editor.
- The action you have requested is limited to users in the group: user.

You can view and copy the source of this page.

 [[Media:HW-Employee.zip|Download]] [[File: Employees gallery.png|alt=Screenshot of employees gallery|450x450px]] This template creates an employees gallery that you can include on portal pages, for example. ==Importing the template== {{Templateimport|HW-Employee}} ==Pages included in the import== The xml import creates the following files in your wiki: *Template:Employee *Template:Employee/styles.css ==Creating the employee gallery== You can add each individual employee card as a template. Alternatively, you can [[Templates download /Employee#Adding a "batch" of employees|add a "batch" of employees]] directly in the source mode of the page. # From the Visual Editor "Insert > Template" menu, add the template "Employee". [[File:Employee template.png|alt=Screenshot of dialog to select the Employee template|center|thumb|450x450px|Select the Employee template]] # Provide the necessary information in the [[Templates download/Employee#Available parameters|parameter fields]]. === Adding a "batch" of employees === To speed up the process, you can quickly add the template multiple times directly in the source editing mode. This also allows you to add a colored grey wrapper around the gallery:<syntaxhighlight lang="text"> {{Employee|title=Title|image=|name=Employee name|department=Department|username=}} {{Employee|title=Title|image=|name=Employee name|department=Department|username=}} {{Employee|title=Title|image=|name=Employee name|department=Department|username=}} {{Employee|title=Title|image=|name=Employee name|department=Department|username=}} {{Employee|title=Title|image=|name=Employee name|department=Department|username=}} {{Employee|title=Title|image=|name=Employee name|department=Department|username=}} < /syntaxhighlight> == Available parameters== {| class="wikitable" style="width: 100%;" ! style="background-color: rgb(234, 236, 240);text-align:center;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" class="" | ! style="background-color:rgb(234, 236, 240);text-align:center;width:200px;box-sizing:inherit; padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" class="" |Element ! style="background-color:rgb (234, 236, 240);text-align:center;width:180px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" class="" |Value ! style="background-color:rgb(234, 236, 240);text-align:center;box-sizing:inherit; padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" class="" | Description |- |1 |title |text |Job title |- |2 |image |file name (without naemspace prefix) |Name of the uploaded user image (e.g.: lastnamefirstname.png). If left empty, the template looks for the profile image of the user. |- |3 |name |text |Name of the employee |- |4 |department |text |Department of the employee |- |5 |username |username (without namespace prefix) |If the user exists in the wiki and the user name is provided, the employee card links to the user's profile page. |- |6 |employeepage |name of a wiki page |If the employee does not exist as user, an employee page can be created anywhere in the wiki. If a page name is provided here, the employee card links to that page. |} __NOTOC__ [[en:Vorlagen_Download/Seitenbanner]] [[en:{{FULLPAGENAME}}]]

Template used on this page:

- Template:Templateimport (view source)

Return to Templates download/Employee.

View source for Templates download/IMS Documents

You do not have permission to edit this page, for the following reasons:

- The action you have requested is limited to users in one of the groups: Users, Administrators, ES_editors, editor.
- The action you have requested is limited to users in the group: user.

You can view and copy the source of this page.

 [https://bluespice.com/contact/ Contact us now] [[File:HW-IMS.png|450x450px|alt=Screenshot of the IMS Process description template]]
 [[File:Template IMS Process description - partial.png|450x550px|alt=Screenshot of the IMS Process description template]] This well-designed template set is our solution for managing controlled documents with BlueSpice. It enables you to organize the documents for any process-oriented quality management approach with little effort. You acquire the set directly via our sales department. ==Included templates== This set contains the forms, templates, and overview pages for the following document types: *Process description *Work instruction *Role definition *Audit report ==Supported norms== Out-of-box, the following standards are supported: *ISO 9001:2015 *ISO 14001 *ISO/IEC 27001 *ITIL 3/4 These standards can easily be expanded or replaced by other standards. ==Importing the template files== Detailed instructions for importing and using the template set are included in the archive file (.zip) as a PDF. ==Screenshots== <gallery widths="260px"> File:IMS Role definitions rollup-en.png|List of role definitions File:IMS Work instuctions rollup-en.png|List of work instructions File:HW-IMS.png|List of process descriptions File:IMS Audit reports rollup-en.png|List of audit reports File:Template IMS Role definition.png|Template for a role definition File:Template IMS Work instruction.png|Template for a work instruction File:Template IMS Process description.png|Template for a process description File:Template IMS Audit report.png|Template for an audit report File:IMS Form-en.png|Example of an edit form </gallery> __NOTOC__

Return to Templates download/IMS Documents.

View source for Templates download/Icon

You do not have permission to edit this page, for the following reasons:

- The action you have requested is limited to users in one of the groups: Users, Administrators, ES_editors, editor.
- The action you have requested is limited to users in the group: user.

You can view and copy the source of this page.

{{Textbox|boxtype=note|header=|text=Starting with BlueSpice 4.3, icons can be inserted as a [[Manual:Extension/ContentDroplets|Content droplet]]. Therefore, importing this template is no longer necessary. |icon=yes}}Starting with BlueSpice 4.3, these button links can be inserted as a [[Manual:Extension/ContentDroplets|Content droplet]]. Therefore, importing this template is no longer necessary. [[Media:HW-Icon.zip|Download]] [[File:Icon-template.png|350x350px|alt=example of icons on a page]] This template makes it possible to insert Bootstrap icons on a page. ==Importing the template== The import file is included in the archive file "HW-Icon.zip". Unpack the zip file first. On the page "Special:Import," follow these steps: #"'"Select file"'" and choose HW-Icon.xml. #"'Enter"' an "interwiki prefix". Since this field is required, simply add hw (for hallowelt). #"'Keep"' the selection "Import to default locations". #"'Click"' "Upload file..." . The template is now available in your wiki. ==Pages included in the import== The xml import creates the following file in your wiki: *Template:Icon ==Using the template== {{Messagebox|boxtype=important|icon=|Note text=BlueSpice does not always include the latest version of bootstrap icons. [https://en.wiki.bluespice.com/w/skins/BlueSpiceDiscovery/resources/bootstrap/icons/index.html See the list of currently supported icons.] |bgcolor=}} #"'Find"' a bootstrap icon from the Bootstrap website at https://icons.getbootstrap.com/<nowiki

/>"'Click"' on the icon you would like to use. The icon page shows you the class-name of the icon on the right side of the page:[[File:bootstrap-award-icon.png|alt=Bootstrap icon css-class|center|thumb|650x650px|Bootstrap icon css-class]] #"'Highlight"' the class name (it has the format "bi bi-myicon") and "'copy"' it to your clipboard (ctrl+c). #"'Go back"' to your wiki page. # "'Enter"' <code><nowiki>{{</nowiki></code> in visual editing mode at the cursor position where you want to insert the icon. The template editor opens. # "'Copy"' the icon class from your clipboard:[[File:template-editor-icon.png|alt=Template editor|center|thumb|450x450px|Template editor]] # "'Change"' the font size (optional) if you want the size to be different from the text surrounding it (e.g., from the size of a heading if the icon is placed in the heading or of the paragraph text if the icon is placed in the flow-text. Smaller than text icons are usually sized no smaller than 0.85em and larger icons up to 2.5em. #"'Color:"' If you want the color to be different from the surrounding text, you can specify any web color (e.g., a color name like blue or a hex-valuesuch as #0059b3 for a more specific blue). A list of web colors can be found at https://www.w3schools.com/colors/colors_picker.asp #"'Vertical alignment:"' It should not be necessary to provide an alignment value. The standard is set to text-top and usually works in headings and in flow-text. If it looks a little off, you can try other vertical-alignment values, such as text-bottom. For a full list of possible values, see https://www.w3schools.com/cssref/pr_pos_vertical-align.asp. #"'Click"' "Apply changes". The icon is now displayed on the page. [[File:bootstrap-icon-on page.png|alt=Inserted Bootstrap icon|center|thumb|450x450px|Inserted Bootstrap icon]]

Templates used on this page:

- Template:Messagebox (view source)
- Template:Messagebox/styles.css (view source)
- Template:Textbox (view source)
- Template:Textbox/styles.css (view source)

Return to Templates download/Icon.

View source for Templates download/Image cards

You do not have permission to edit this page, for the following reasons:

- The action you have requested is limited to users in one of the groups: Users, Administrators, ES_editors, editor.
- The action you have requested is limited to users in the group: user.

You can view and copy the source of this page.

 [[Media:HW-ImageCards.zip|Download]] [[File:Image cards large.png|450x450px|alt=large image cards example]] This template creates a set of images that is useful for linking to wiki pages. == Importing the template== The import file is included in the archive file "HW-IamgeCards.zip". Unpack the zip file first. On the page "Special:Import" follow these steps: #'"Select file"' and choose "HW-ImageCards.xml". #'"Enter"' an Interwiki prefix. Since this field is required, simply add "hw" (for hallowelt). #'"Keep"' the selection "Import to default locations". #'"Click"' "Upload file..." The template is now available in your wiki. ==Pages included in the import== The xml import creates the following files in your wiki: *Template:Image_cards *Template:Image_cards/start *Template:Image_cards/end *Template:Image_cards /styles.css ==Adding image cards to a page == ===General considerations === *'"Start and end templates:"' Each card set needs the '"start"' template (Image cards/start) and the '"end"' template (Image cards/end). Make sure to add the end template right after the last image card without a line-break. If you have a line break, you will see some unnecessary space after the last card. *'"Card sizes:"' You can choose between "medium" ("standard)", "small" and "large" image cards. By default, standard cards are shown. *'"Images or icons:"' You can choose to create image cards or icon cards. Icon cards are only available in the sizes "small" and "medium." If you want to uses images, you need to upload them to your wiki first.
 [[Templates download/Image cards#Available settings|See below for a complete list of available settings (template parameters).]] ===Image cards=== The easiest way to add card is to choose a starting layout from the examples provided on this page. Simply copy and paste the example code in source-editing mode into your page. {{Messagebox|boxtype=important|icon=|Note text=Always paste any code using plaintext - '"<code>Ctrl+Shift+v</code>"' - in your wiki in source editing mode to avoid creating unnecessary tags which will break the view.|bgcolor=}} ====Standard-sized image cards==== [[File:Image cards standard.png|alt=Standard-sized cards|center|thumb|950x950px|Standard-sized cards]]
 '"Code to copy:"' (Replace the file names for "imgname=" with the correct file names from your wiki)<syntaxhighlight lang="text"> {{Image cards/start|cardsize=}} {{Image cards|imgname=yourimage1.jpg|label=London|imglink=https://google.de|alt=office in London headquarters}} {{Image cards|imgname=yourimage2.jpg|label=Helsinki|imglink=http://google.de|alt=}} {{Image cards|imgname=yourimage3.jpg|label=Madrid|imglink=Main Page|alt=}} {{Image cards|imgname=yourimage4.jpg|label=Hamburg|imglink=Main Page|alt=}} {{Image cards|imgname=yourimage5.jpg|label=Regensburg|imglink=|alt=}}{{Image cards/end}} </syntaxhighlight> ====Large image cards==== [[File:Image cards large.png|alt=Large image cards|center|thumb|850x850px|Large image cards]]
 Code to copy: (Replace the file names for "imgname=" with the correct file names from your wiki) <syntaxhighlight lang="text"> {{Image cards/start|cardsize=large|flexwrap=wrap}} {{Image cards|imgname=yourimage1.jpg|label=Sales & Marketing|imglink=Main Page}} {{Image cards|imgname=yourimage2.jpg|label=IT Admin|imglink=Main Page}} {{Image cards|imgname=yourimage3.jpg|label=Development|imglink=Main Page}} {{Image cards|imgname=yourimage4.jpg|label=Tech Support|imglink=Main Page}} {{Image cards|imgname=yourimage5.jpg|label=Accounting|imglink=Main Page}} {{Image cards|imgname=yourimage6.jpg|label=Management|imglink=Main Page}}{{Image cards/end}} </syntaxhighlight> [[File:Image cards bootstrap icons.png|alt=Bootstrap icon name|thumb|Bootstrap icon name]] ===Icon cards=== Supported icons: * [https://icons.getbootstrap.com/ Bootstrap icons]: Syntax is: "bi bi-gear" * [https://fontawesome.com/v6/search Font Awesome up to 6.2.1]{{Bsvs|bsvFrom=4.3|bsvTo=|bsvFeature=}}: "fa-solid fa-house" (v. 6) or "fas fa-wrench" (v.5) {{Messagebox|boxtype=important|icon=|Note text=BlueSpice does not always include the latest version of bootstrap icons. [https://en.wiki.bluespice.com/w/skins/BlueSpiceDiscovery/resources/bootstrap/icons/index.html See the list of currently supported icons.]|bgcolor=}} [[File:Image cards icons.png|alt=Icon cards|center|thumb|950x950px|Icon cards]]
 Code to copy: (Replace the file names for "imgname=" with the correct file names from your wiki)<syntaxhighlight lang="text"> {{Image cards/start|cardsize=}} {{Image cards|iconname=bi bi-gear|iconcolor=Tomato|label=Processes|imglink=Main Page|alt=}} {{Image cards|iconname=bi bi-lightbulb|label=How-to's|imglink=Main Page|alt=}} {{Image cards|iconname=bi bi-eyeglasses|label=Knowledge base|imglink=https://google.de|alt=}} {{Image cards|iconname=bi bi-signpost|label=Directories|imglink=Main Page|alt=}} {{Image cards|iconname=bi bi-geo-alt|label=Locations|imglink=|alt=}}{{Image cards/end}} </syntaxhighlight> ==Available settings== ===Template:Image_cards/start=== {| class="wikitable" style="width: 100%;" ! style="background-color:rgb(234, 236, 240);text-align:center;width:200px;box-sizing:inherit;padding: 0.2em 0.4em;border:1px solid rgb(162, 169, 177);" class="" |Parameter ! style="background-color:rgb(234, 236, 240);text-align:center;width:180px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" class="" |Value ! style="background-color:rgb(234, 236, 240);text-align:center;box-sizing:inherit;padding: 0.2em 0.4em;border:1px solid rgb(162, 169, 177);" class="" | Description |- style="box-sizing: inherit;" | style="width:200px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |cardsize | style="width:180px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" | * medium (can stay empty, it is the default) * small * large | style="box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |Sets the size of the individual cards |- | rowspan="2" |justifycontent | * space-between (default)

|Spreads the cards out evenly in the available space If the number of cards causes a line break and you don't want to switch from "space-between" to "flex-start", you can insert additional blank placeholder cards that

"push" the cards in the second row to the left. You have to test the number of required placeholders. Here, 2 placeholders would be generated:<syntaxhighlight lang="text"> {{Image cards|class=placeholder}} {{Image cards|class=placeholder}} </syntaxhighlight> |- | * flex-start |If there is a wrap to another line, the cards are left-aligned |- |flexwrap | * nowrap (default) |Cards get smaller if many images are added to avoid wrapping |- |flexwrap | * wrap |Cards keep their original size. Images that don't fit on the first row will move to the next row. This setting should be used with cardsize=large. |} ===Template:Image_cards=== {| class="wikitable" style=" width:100%;" ! style="background-color:rgb(234, 236, 240);text-align:center;width:200px;box-sizing:inherit; padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" class="" |Parameter ! style="background-color:rgb (234, 236, 240);text-align:center;width:180px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" class="" |Value ! style="background-color:rgb(234, 236, 240);text-align:center;box-sizing:inherit; padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" class="" |Description |- | style="width:200px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |imgname | style="width:180px;box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |e.g.: myimage.jpg, myimage.png | style="box-sizing:inherit;padding:0.2em 0.4em;border:1px solid rgb(162, 169, 177);" |Name of the image without a namespace prefix. It needs to be blank or not present if icons are used instead of images. |- |label |e. g.: London |Label that is shown under the image/icon. |- |imglink |e.g.: Main_Page Help:Main_Page <nowiki>https://google.com</nowiki> |Link to a wiki page or a website. The link is optional. |- |alt |e.g.: office in London headquarters |Provided for assistive technologies of users who cannot see the image. This is not necessary when using icons, since icons are loaded as background images only. |- |iconname |e.g.: bi bi-lightbulb |Used instead of imgname if icons are used as a visual. |- |iconcolor |e.g.: Tomato, <nowiki>#< /nowiki>607d8b |HTML-color value. This includes [https://www.w3schools.com/colors/colors_names.asp color names] or generally [https://www.w3schools.com/colors/colors_schemes.asp HEX-values]. |}

Templates used on this page:

- Template:Bsvs (view source)
- Template:Bsvs/styles.css (view source)
- Template:Messagebox (view source)
- Template:Messagebox/styles.css (view source)

Return to Templates download/Image cards.

View source for Templates download/Language switcher

You do not have permission to edit this page, for the following reasons:

- The action you have requested is limited to users in one of the groups: Users, Administrators, ES_editors, editor.
- The action you have requested is limited to users in the group: user.

You can view and copy the source of this page.

{{Textbox|boxtype=note|header=|text=Starting with BlueSpice 4.3, a language switcher is automatically created for subpages or interlanguage links and this template is no longer needed.|icon=yes}} [[Media:HW-LanguageSwitcher.zip|Download]] [[File:HW-languageswitcher.png|350x350px|alt=language switcher screenshot]] This download file includes two versions of a language switcher. Supported languages can be defined in the templates. ==Importing the template== The import file is included in the archive file ''HW-LanguageSwitcher.zip''. Unpack the zip file first. On the page ''Special:Import'' follow these steps: #'''Select file''' and choose ''HW-LanguageSwitcher.xml''. #'''Enter''' an Interwiki prefix. Since this field is required, simply add ''hw'' (for hallowelt). #'''Keep''' the selection ''Import to default locations''. #'''Click''' ''Upload file...'' . The templates are now available in your wiki. ==Pages included in the import== The xml import creates the following files in your wiki: * Template:Languages * Template:Languages/styles.css * Template:InterLanguages * Property:Languages/tracklang * MediaWiki:Lang

* MediaWiki:Lang/de * MediaWiki:Lang/en * MediaWiki:Lang/fr * MediaWiki:Lang/nl == How it works == === Template:Languages === This template is used to switch between a page and its translated versions when the translations are maintained as subpages. The template defines some variables to determine which languages you want to support. It automatically determines the content language of your wiki installation. '''This variable ''cl'' is required and must not be deleted.''' * You need to define at least one language for the switcher to make sense. Each language variable is named as lowercase l (for language) ''l1'', ''l2'',.... The value needs to be provided as the [https://de.wikipedia.org/wiki/Liste_der_ISO-639-1-Codes ISO 639-1 language code] for the language. For Spanish, you would define:<syntaxhighlight lang="text"> {{#vardefine:l4|es}} </syntaxhighlight> * After defining the variables, you need to add them to the actual switcher:<syntaxhighlight lang="text"> {{#switch: {{SUBPAGENAME}} |{{#var:l1}}={{#var:switcher}} |{{#var:l2}}={{#var:switcher}} |{{#var:l3}}={{#var:switcher}} |{{#var:l4}}={{#var:switcher}} |{{#var:clswitcher}}}} </syntaxhighlight> *A tracking property enssures that the different languages are available for further processing through Semantic MediaWiki. This allows to create page lists of the different languages.:<syntaxhighlight lang="text"> <!-- set tracking property //--> [[Languages/tracklang::{{#switch: {{SUBPAGENAME}}|{{#var:l1}}={{#var:l1}}|{{#var:l2}}={{#var:l2}}|{{#var:l3}}={{#var:l3}}|{{#var:l4}}={{#var:l4}}|{{#var:cl}}}}]] </syntaxhighlight> *Alternatively, especially in BluesSpice free (where no SMW functions and therefore no attributes are available by default), tracking categories can be used. These are commented out in the template by default. The comment must therefore be removed and all languages tracked as a category:<syntaxhighlight lang="text"> {{#switch: {{SUBPAGENAME}}|{{#var:l1}}=[[Category:{{#var:l1}}]]|{{#var:l2}}=[[Category:{{#var:l2}}]]|{{#var:l3}}=[[Category:{{#var:l3}}]]|{{#var:l4}}=[[Category:{{#var:l4}}]]|[[Category:{{#var:cl}}]]}} </syntaxhighlight> * In addition, you should add the language to the template description for the extension [[Reference:TemplateData|TemplateData]]:<syntaxhighlight lang="text"> "description": { "en": "Language switcher", "de": "Sprachwechsler", "fr": "Sélecteur de langue", "nl": "Taal verandering", "es": "Cambiador de idioma" } </syntaxhighlight> === Template:InterLanguages === This template is used to switch between a page and its translated versions when the translations are not maintained as subpages, but are technically not associated at all. The template defines some variables to determine which languages you want to support. '''The variable ''self'' defines the current page. It is required and must not be deleted.''' The language variables are defined just like in the template Languages. If you define additional language variables, the newly defined languages has to be added to the language menu. The links are created in the following container:<syntaxhighlight lang="text"> ... < /syntaxhighlight>Simply add each language with the l-number matching your language variable by copying this line and replacing the number:<syntaxhighlight lang="text"> {{#if: {{{pgnamel4|}}}|{{#switch:{{{pgnamel4|}}}| {{#var:self}}=[[{{{FULLPAGENAME}}}{{!}}{{#var:l4}}]]|[[{{{pgnamel4}}}{{!}}{{#var:l4}}]]}}|}} </syntaxhighlight>In addition, you need to add the language to the template description and the available fields in the TemplateData editor. In source editing mode: # '''Click''' ''Manage TemplateData''[[File:interlanguages-manageTD.png|alt=Manage TemplateData|center|thumb|650x650px|Manage TemplateData]]
 # '''Click''' ''Add parameter''[[File:interlanguages-manageTD-addparam.png|alt=Add new languages (as parameters)|center|thumb|514x514px|Add new languages (as parameters)]] # '''Select''' any new language you have added and click '''Apply'''.[[File:interlanguages-manageTD-editparam.png|alt=Selecting a newly added paramter|center|thumb|515x515px|Selecting a newly added paramter]] # '''Add''' the language abbreviation for the new language as a label and activate the ''Suggested'' checkbox and click '''Done.'''[[File:interlanguages-manageTD-paraminfo.png|alt=Parameter settings|center|thumb|521x521px|Parameter settings]] # '''Click''' ''Add language'' to add a new template description for this language.[[File:interlanguages-manageTD-addlang.png|alt=adding a template description|center|thumb|450x450px|adding a template description]] # '''Select''' the user language that corresponds to the current language parameter.[[File:interlanguages-manageTD-addlang-es.png|alt=select user language|center|thumb|450x450px|select user language]]
 # '''Enter''' a template description and click '''Apply'''. This description is shown when the user selects a template in the visual editor. [[File:interlanguages-manageTD-addlang-es-desc.png|alt=template description|center|thumb|450x450px|template description]] {{Messagebox|boxtype=important|icon=|Note text=If you have changed the original default values for the language variables, make sure to change the language labels here accordingly. The labels for the l1, l2, l3,... languages need to match.
[[File:interlanguages-

manageTD-labels.png|alt=check correct language associations|center|thumb|250x250px|check correct language associations]]|bgcolor=}} ==Alignment of the language switcher== By default, the language switcher appears on the right side of the page. To display it on the left side, change the following line in the page Template:Languages/styles.css:<syntaxhighlight lang="css"> #langbar-hz {text-align: left;} </syntaxhighlight> == Adding the language switcher to a page == It is possible to use both language switchers in the same wiki. They connect language versions in different scenarios: *[[Multilingual wiki#Creating wiki pages with translated subpages|Using the language switcher template '''Languages''']] (for language versions that are maintained as subpages) *[[Multilingual wiki#Connecting unrelated wiki pages|Using the language switcher template '''InterLanguages''']] (for language versions that are maintained as independent pages) __NOTOC__

Templates used on this page:

- Template:Messagebox (view source)
- Template:Messagebox/styles.css (view source)
- Template:Textbox (view source)
- Template:Textbox/styles.css (view source)

Return to Templates download/Language switcher.

View source for Templates download/Mention

You do not have permission to edit this page, for the following reasons:

- The action you have requested is limited to users in one of the groups: Users, Administrators, ES_editors, editor.
- The action you have requested is limited to users in the group: user.

You can view and copy the source of this page.

 [[Media:HW-mention.zip|Download]] [[File:HW-mention-output.png|361x361px|alt=screenshot of a mention]] This template gives users a quick way of creating a user mention by simply typing <code><nowiki>{{</nowiki></code> (opening the template dialog) and then selecting the template <code>@</code> . Optionally, users can activate (email or wiki) notifications if they are mentionned on the wiki. ==Importing the template== The import file is included in the archive file ''HW-mention.zip''. Unpack the zip file first. On the page ''Special:Import,'' follow these steps: #'''''Select file''''' and choose HW-mention.xml. #'''Enter''' an ''interwiki prefix''. Since this field is required, simply add hw (for hallowelt). #'''Keep''' the selection ''Import to default locations''. #'''Click''' ''Upload file...'' . The template is now available in your wiki. {{Messagebox|boxtype=important|Note text=If, after importing the template to your wiki, the input field is not displayed when you first integrate the template into a wiki page, you need to open the template in the ''Template'' namespace, make a ''null-edit'' change (e.g., insert spaces) and save the template. The input field should now be displayed correctly when using the template.}} ==Pages included in the import== The xml import creates the following files in your wiki: *Template:@ *Template:@/styles.css ==Using the template== #'''Enter''' <code><nowiki>{{</nowiki></code> in visual editing mode. #'''Choose''' the template <code>@</code>.
[[File:HW-mention-selecttemplate.png|center|thumb|350x350px|User selection|link=Special:FilePath/HW-mention-selecttemplate.png]]
 #'''Select''' a user name.
[[File:HW-mentio-en.png|center|thumb|350x350px|Select a user name|link=Special:FilePath/HW-mentio-en.png]]
 #'''Click''' ''Save changes''.
 ==Activate notifications== Users can activate notifications for mentions in their [[Manual:Preferences|personal preferences]] : #'''Select''' the tab ''Notifications''. #'''Activate''' the notifications options for mentions. #'''Save''' your changes.
[[File:HW-mention-notificationsettings.png|center|thumb|680x680px|Activating notifications|link=Special:FilePath/HW-mention-notificationsettings.png]]

 __NOTOC__

Templates used on this page:

- Template:Messagebox (view source)

- Template:Messagebox/styles.css (view source)

Return to Templates download/Mention.

View source for Templates download/Messagebox

You do not have permission to edit this page, for the following reasons:

- The action you have requested is limited to users in one of the groups: Users, Administrators, ES_editors, editor.
- The action you have requested is limited to users in the group: user.

You can view and copy the source of this page.

{{Textbox|boxtype=note|header=|text=Starting with BlueSpice 4.3, these messages boxes can be inserted as a [[Manual:Extension/ContentDroplets|Content droplet]]. Therefore, importing this template is no longer necessary.|icon=yes}} [[Media:HW-messagebox.zip|Download]] [[File:HW-messagebox-en.png|450x450px]] This template can be integrated into every wiki page from the editor toolbar (VisualEditor). The type of box (hint, tip, warning, etc.) can be specified as a parameter. This parameter sets the background color as well as the optional icon. The symbol can be activated and deactivated. ==Importing the template== The import file is included in the archive file ''HW-messagebox.zip''. Unpack the zip file first. On the page ''Special:Import'' follow these steps: #'''Select file''' and choose ''HW-messagebox.xml''. #'''Enter''' an Interwiki prefix. Since this field is required, simply add ''hw'' (for hallowelt). #'''Keep''' the selection ''Import to default locations''. #'''Click''' Sie ''Upload file...'' . The template is now available in your wiki and can be added to a page from the VisualEditor ''Insert>Template'' link. == Available parameters == {| class="wikitable" style="width: 100%;" |+ ! style="width:150px;" |Parameter ! Description |- | style="width:150px;" |Type of box |Determines the color of the box and the label. Allowed values (case-sensitive): <code>note</code>, <code>warning</code>, <code>tip</code>, <code>important</code>, <code>example</code>, <code>success</code>, <code>neutral</code> |- | style="width:150px;" |Note text |Content of the box. Allows wikitext. |- | style="width:150px;" |Show icon |Sets an additional icon for the box type. Default value: <code>(empty)</code>, Allowed value: <code>yes</code> |- | style="width:150px;" |Background color |overwrites the default background color of a boxtype. Example: <code>#ef5f5f5</code> (light grey) To find a color: https://www.w3schools.com/colors/colors_picker.asp |}
 [[File:HW-messagebox-templatedata.png|center|thumb|350x350px|Visual editor dialog for the message box|link=Special:FilePath/HW-messagebox-templatedata.png]]
 ==Pages included in the import== The xml import creates the following files in your wiki: *Template:Messagebox *Template:Messagebox/styles.css ==Alignment adjustments== By default, the box is displayed in full-width. This means that it is displayed below any image that is used directly before the box. To change this behavior to keep the box within the text-flow you can make the following change in Template:Messagebox/styles.css: For the css-selector ".hw-messagebox", '''replace''' the declaration "clear:both" with "overflow:hidden". Before:<syntaxhighlight lang="css"> .cd-textbox { ... clear: both; } </syntaxhighlight>Afterwards:<syntaxhighlight lang="css"> .cd-textbox { ... overflow hidden; } </syntaxhighlight> [[File:hw-messagebox-textflow.png|center|thumb|650x650px|Messagebox within text-flow|link=Special:FilePath/hw-messagebox-textflow.png]]

Templates used on this page:

- Template:Textbox (view source)
- Template:Textbox/styles.css (view source)

Return to Templates download/Messagebox.

View source for Templates download/Minutes JF management

You do not have permission to edit this page, for the following reasons:

- The action you have requested is limited to users in one of the groups: Users, Administrators, ES_editors, editor.
- The action you have requested is limited to users in the group: user.

You can view and copy the source of this page.

 [[Media:HW-Minutes-management.zip|Download]]< /span> [[File:HW-Minutes-management.png|800x800px]] Page template for Management meetings. ==Importing the template== The import file is included in the archive file "HW-minutes-management.zip". Unpack the zip file first. On the page "Special:Import" follow these steps: #"'Select file"' and choose "HW-minutes-management.xml". #"'Enter"' an Interwiki prefix. Since this field is required, simply add "hw" (for hallowelt). #"'Keep"' the selection "Import to default locations". #"'Click"' "Upload file..." . The form-based template is now available in your wiki. ==Pages included in the import== *Template:JF Status/en *Template: Meeting minutes/styles.css *Template:Meeting minutes Management
 ==Using the template== You can define this template as a [[Manual:Extension/BlueSpicePageTemplates|page template]] in your wiki if you have administrator rights. If you have also downloaded the [[Templates download/Minutes for teams|general template for team meeting minutes]], you can also define this template to be preloaded as such a team template. __NOTOC__

Return to Templates download/Minutes JF management.

View source for Templates download/Minutes customer projects

You do not have permission to edit this page, for the following reasons:

- The action you have requested is limited to users in one of the groups: Users, Administrators, ES_editors, editor.
- The action you have requested is limited to users in the group: user.

You can view and copy the source of this page.

 [[Media:HW-Minutes-customerprojects.zip|Download]]< /span> [[File:HW-Minutes-customer projects.png|700x700px]] Page template for customer project meeting meetings. ==Importing the template== The import file is included in the archive file "HW-Minutes-customerprojects.zip". Unpack the zip file first. On the page "Special:Import" follow these steps: #"'Select file"' and choose "HW-Minutes-customerprojects.xml". #"'Enter"' an Interwiki prefix. Since this field is required, simply add "hw" (for hallowelt). #"'Keep"' the selection "Import to default locations". #"'Click"' "Upload file..." . The form-based template is now available in your wiki. ==Pages included in the import<== *Template:Meeting minutes customer projects ==Using the template== You can define this template as a [[Manual:Extension /BlueSpicePageTemplates|page template]] in your wiki if you have administrator rights. If you have also downloaded the [[Templates download/Minutes for teams|general template for team meeting minutes]], you can also define this template to be preloaded as such a team template. __NOTOC__

Return to Templates download/Minutes customer projects.

View source for Templates download/Minutes for teams

You do not have permission to edit this page, for the following reasons:

- The action you have requested is limited to users in one of the groups: Users, Administrators, ES_editors, editor.
- The action you have requested is limited to users in the group: user.

You can view and copy the source of this page.

 [[Media:HW-Minutes.zip|Download]] [[File:HW-Minutes-en.png|450x450px]] This template contains a combined roll-up page for creating meeting minutes of different teams. A standard protocol page template is also included. The template can be expanded with additional page templates for different types of meeting minutes. ==Importing the template== The import file is included in the archive file ''HW-Minutes.zip''. Unpack the zip file first. On the page ''Special:Import'' follow these steps: #'''Select file''' and choose ''HW-Minutes.xml''. #'''Enter''' an Interwiki prefix. Since this field is required, simply add ''hw'' (for hallowelt). #'''Keep''' the selection ''Import to default locations''. #'''Click''' Sie ''Upload file...'' . The template is now available in your wiki.
 ==Pages included in the import== The xml import creates the following files in your wiki: *Meeting minutes (in the ''Main'' namespace) *Template:Meeting minutes *Template:Meeting minutes/styles.css *Template:Meeting minutes standard ==Using the template== ===Create a namespace=== Over time, you will create many pages for meeting minutes. It therefore makes sense to store them in their own namespace. We suggest that you create the ''Minutes'' namespace for this purpose. The template for minutes requires that this namespace is available. If you do not want to use the ''Minutes'' namespace in your wiki, you can adjust the expected namespace in the file ''Template:Meeting minutes''. To do this, change the prefix ''Minutes'' in the ''inputbox'' tag:<syntaxhighlight lang="text"> {{#tag:inputbox| ... prefix=Minutes:{{{1|{{PAGENAME}}}}}/ </syntaxhighlight>to your own namespace, here exemplified as ''Your_namespace'':<syntaxhighlight lang="text"> {{#tag:inputbox| ... prefix=Your_namespace:{{{1|{{PAGENAME}}}}}/ </syntaxhighlight> ===Add a navigation link=== To easily find and create meeting minutes, you should provide a direct link to the Minutes roll-up page in the [[Manual:Extension/BlueSpiceDiscovery/Main navigation|main navigation]]. By default, the page ''Meeting minutes'' is located in the main namespace. You can move it to any namespace you want. ==Customizing the template== ===Creating individual teams=== Three adjustments need to be made for each team section on the main ''Meeting minutes'' page: #The '''box heading''' with the team name. #'''The team name''' used to create the file path for this team's minutes. This generates the main page prefix used for any meeting time for this team before the date. For example ''Marketing''/2021-07-01. #The '''page template''' you want to use for the team's meeting minutes. By default, there is only one template (Meeting minutes standard) for all meeting minutes. Simply create a new page in the template namespace and assign it here as a preload template for a team. Example of a team:<syntaxhighlight lang="text"> == My team== {{Meeting minutes|My team|preload=Template:Meeting minutes my team}} </syntaxhighlight>Result: [[File:HW-Minutes-inputbox.png|center|thumb|350x350px|Inputbox for creating meeting minutes|link=Special:FilePath/HW-Minutes-inputbox.png]]
 __NOTOC__

Return to Templates download/Minutes for teams.

View source for Templates download/PortalFlex

You do not have permission to edit this page, for the following reasons:

- The action you have requested is limited to users in one of the groups: Users, Administrators, ES_editors, editor.
- The action you have requested is limited to users in the group: user.

You can view and copy the source of this page.

 [[Media:HW-PortalFlex-en.zip|Download]] [[File:HW-PortalFlex-Combo.png|450x450px|link=Special:FilePath/HW-PortalFlex-Combo.png]] The template "Portal flex" allows you to create pages based on a 2 or 3 column layout. In addition, each page can contain an

intro section. Individual pages that were created using this "Portal flex" template can be combined into one portal page using transclusion. (as shown in the "'example image"' on this page). The layout is responsive and shown optimized for different devices. ==Importing the template== The import file is included in the archive file "HW-PortalFlex.zip". Unpack the zip file first. On the page "Special:Import" follow these steps: #"'Select file"' and choose "HW-PortalFlex-en.xml". #"'Enter"' an Interwiki prefix. Since this field is required, simply add "hw" (for hallowelt). #"'Keep"' the selection "Import to default locations". #"'Click"' "Upload file..." . The form-based template is now available in your wiki. ==Creating portal pages== To create a portal page: # "'Add"' the page "Template:Portal flex PT as a page template to your wiki." ## Go to the template manager at "Special: PageTemplatesAdmin." ## Click the "+" button to add the template as a new page template for the entire wiki: ##* Template name: Portal page ##* Description: Generic portal page ##* Namespace: (all) ##* Template: Template:Portal flex PT[[File:portalflex-PT.png|alt=Adding the Portal template to the wiki|center|thumb|550x550px|Adding the Portal template to the wiki]] # "'Create"' a new wiki page. You should now have the template Portal page available for selection.[[File:portalflex-PT-select.png|alt=Selecting the portal page template|center|thumb|400x400px|Selecting the portal page template]] # "'Save"' the new page.[[File: portalflex-PT-savepage.png|alt=Saving the new portal page|center|thumb|650x650px|Saving the new portal page]] # To "'edit the form settings"' or to add simple text or graphics, click "...all actions" in the page tools and then click Edit with form. After changing the settings as needed, save the page. If you want to add dynamic content such as SMW-queries, you need to click "Edit source" instead of "Edit with form". #"'Create"' new boxes in forms edit mode by clicking "New box" and add your content. You can move the boxes up or down in order once you have multiple boxes. You can also override the default background color for an individual box. For example, if you selected white or grey for the default color of your boxes, you can emphasize an individual box by giving it a blue or red background color. You can also hide the heading of an individual box.
[[File: HW-PortalFlex-boxverschieben.png|center|thumb|650x650px|Move box up or down (1), delete box (2), add new Box above the current box (3)|link=Special:FilePath/HW-PortalFlex-boxverschieben.png]] #"'Choose,"' if necessary, the number of placeholders (1). If, for example, you have chosen a 2-column layout, but you have 3 boxes on the page, then the 3rd box, by default, is shown in full page width. If you select 1 empty placeholder box, then the 3rd box will use only 1/2 of the page width.
[[File:HW-PortalFlex-Platzhalter. png|link=https://en.wiki.bluespice.com/wiki/File:HW-PortalFlex-Platzhalter.png|alt=Placeholder for unused columns to distribute available width.|center|thumb|650x650px|Placeholder for unused columns to distribute available width.]] #"'Click"' "Show preview" (2). Here you can check your previous settings. Then scroll to the bottom of the page to get back to the form. #"'Click"' "Save page" when you have finished your edits. ==Pages included in the import== The xml import creates the following files in your wiki: *Template:Portal flex/Start *Template:Portal flex/Box *Template:Portal flex/End *Template:Portal flex/styles.css *Template:Portal flex PT *Form:Portal flex
 __NOTOC__

Return to Templates download/PortalFlex.

View source for Templates download/Risk management

You do not have permission to edit this page, for the following reasons:

- The action you have requested is limited to users in one of the groups: Users, Administrators, ES_editors, editor.
- The action you have requested is limited to users in the group: user.

You can view and copy the source of this page.

 [https://bluespice.com/contact/ Contact us now] [[File:RM-riskentry.png|450x450px]] This template set supports users who want to build and maintain a risk registry in the wiki. In addition to creating pages for risk planning, incidents can also be reported and (optionally) associated with existing risk entries. You acquire the set directly via our sales department.
 ==Included templates== This set contains the following templates: *'''Risk matrix:''' **Template that is embedded on all risk-related

pages. A collapsible risk matrix helps to choose the appropriate risk factor. *'''Risk entry:''' **Form to create a new risk entry **Template for risk entries **Risk registry that lists all documented risks *'''Incident report:''' **Form to create a new incident report. Optionally, an incident can be associated with known risks. **Incident report template **Incident registry that lists all documented incidents ==Import der Vorlage== Detailed instructions for importing and using the template set are included in the archive file (.zip) as a PDF. ==Screenshots== <gallery widths="260"> File:RM-riskmatrix.png|Adjustable risk matrix File:RM-riskentry.png|Risk entry File:RM-riskregistry-en.png|Risk registry File:RM-form-en.png|Form File:RM-incidententry-en.png|Incident report File:RM-incident registry-en.png|Incident register </gallery>
 __NOTOC__ [[de:Vorlagen Download/Risikomanagement]] [[en:{{FULLPAGENAME}}]]

Return to Templates download/Risk management.

View source for Templates download/SVG

You do not have permission to edit this page, for the following reasons:

- The action you have requested is limited to users in one of the groups: Users, Administrators, ES_editors, editor.
- The action you have requested is limited to users in the group: user.

You can view and copy the source of this page.

{{Messagebox|boxtype=note|icon=|Note text=This template requires the extension [https://www.mediawiki.org/wiki/Extension:Widgets Widgets]. It is already bundled with BlueSpice pro, but not with BlueSpice free. |bgcolor=}} [[Media:HW-svg.zip|Download]] [[File:svg-animated.gif|361x361px|alt=animated gif showing an interactive svg]] With this template users can embed an interactive SVG on a wiki page. The SVG file has to be uploaded to the wiki first. ==Importing the template== The import file is included in the archive file ''HW-svg.zip''. Unpack the zip file first. On the page "Special:Import," follow these steps: #'''"Select file"''' and choose ''HW-svg.xml''. #'''Enter''' an ''interwiki prefix''. Since this field is required, simply add hw (for hallowelt). #'''Keep''' the selection "Import to default locations". #'''Click''' ''Upload file...'' . The template is now available in your wiki. ==Pages included in the import== The xml import creates the following files in your wiki: *Template:Svg *Template:Svg/styles.css *Widget:Svg ==Using the template== #'''Select''' "Insert > Template" from the visual editor menu. #'''Select''' the template "Svg". #'''Enter''' the file name of the SVG file. If the file is associated with a namespace, don't forget to provide the namespace prefix. (E.g.: <code>QM:Orgchart.svg</code>). The file needs to already exist in your wiki. #'''Click''' "Save changes".
 [[File:HW-svg-templatedata.png|alt=Entering the image information.|center|thumb|450x450px|Entering the image information.]] __NOTOC__

Templates used on this page:

- Template:Messagebox (view source)
- Template:Messagebox/styles.css (view source)

Return to Templates download/SVG.

View source for Templates download/Subpages

You do not have permission to edit this page, for the following reasons:

- The action you have requested is limited to users in one of the groups: Users, Administrators, ES_editors, editor.
- The action you have requested is limited to users in the group: user.

You can view and copy the source of this page.

{{Textbox|boxtype=note|header=|text=Starting with BlueSpice 4.3, these subpage lists can be inserted as a [[Manual:Extension/ContentDroplets|Content droplet]]. Therefore, importing this template is no longer necessary.|icon=yes}} [[Media:HW-subpages.zip|Download]] [[File:HW-subpages.png|450x450px]] This template can be integrated into every wiki page using the editor toolbar. It generates a list of subpages of a wiki page. You can create a single or multi-column layout, with or without bullets. ==Importing the template== The import file is included in the archive file "HW-subpages.zip". Unpack the zip file first. On the page "Special:Import" follow these steps: #"'Select file'" and choose "HW-subpages.xml". #"'Enter'" an Interwiki prefix. Since this field is required, simply add "hw" (for hallowelt). #"'Keep'" the selection "Import to default locations". #"'Click'" "Upload file..." . The template is now available in your wiki. ==Usage== Insert the template "Subpages" with VisualEditor. Provide the settings for the list: {| class="contenttable-blue" style="width:100%;" !Field!!Description |- |Namespace||Namespace in which the parent page is located. Leave blank for the main namespace. |- |Parent page |The wiki page that has the subpages. |- |Column layout |no = flat list; yes = 3-column layout |- |Bullet points |yes = bulleted list; no = list without bullet points |} ==Pages included in the import== The xml import creates the following file in your wiki: *Template:Subpages *Template:Subpages/styles.css
 __NOTOC__

Templates used on this page:

- Template:Textbox (view source)
- Template:Textbox/styles.css (view source)

Return to Templates download/Subpages.

View source for Templates download/TOClimit

You do not have permission to edit this page, for the following reasons:

- The action you have requested is limited to users in one of the groups: Users, Administrators, ES_editors, editor.
- The action you have requested is limited to users in the group: user.

You can view and copy the source of this page.

 [[Media:HW-TOClimit.zip|Download]] [[File:template-download-TOClimit.png|450x450px|alt=Template data dialog example]] This template can be integrated into a page using the Visual Editor ''Insert>Template'' link. It makes it possible to limit the heading levels that are shown in the Table of Contents of a wiki page. ==Importing the template== The import file is included in the archive file "HW-TOClimit.zip". Unpack the zip file first. On the page "Special:Import" follow these steps: #'''Select file''' and choose "HW-TOClimit.xml". #'''Enter''' an Interwiki prefix. Since this field is required, simply add "hw" (for hallowelt). #'''Keep''' the selection "Import to default locations". #'''Click''' Sie "Upload file..." . The template is now available in your wiki. ==Pages included in the import== The xml import creates the following files in your wiki: * Template:TOClimit *Template:TOClimit/styles.css ==Usage== #'''Add''' the template from Visual Editor.[[File:TOClimit standard toc.png|alt="Add a template" dialog|center|thumb|350x350px|Selecting the TOClimit template]] #'''Enter''' the level of headings you want to show. Sie die Anzahl der gewünschten Überschriften-Ebenen ein (z.B. <code>1</code>).[[File:TOClimit 1en.png|alt=Template settings dialog|center|thumb|550x550px|Headings limit 1]] #'''Save the page.''' The table of contents is now shown with your custom settings. {{Messagebox|boxtype=note|icon=|Note text={{Bsvs|bsvTo=4.1}}If you need to make adjustments to the parameters after saving the template, switch to source editing mode. Since the table of contents is not shown in visual aditing mode, the template will not be shown in this mode. |bgcolor=}} ===Parameters=== The following customizations are possible: {| class="wikitable" style="" |+ ! Parameter !Possible value !Description |- |limit |1, 2, 3, 4 |Limits heading levels (up to level 4). If the value is <code>2</code>, the TOC is 2 levels deep |- |nonum |0, 1 |Removes numbering when set to 1 |- |notitle |0, 1 |Removes title when set to 1 |- |noborder |0, 1 |Removes border when set to 1 |- |fontlarge |0, 1 |Sets size to match regular content size when set to 1 |- |inline |0, 1 |Shows the items in a row (only possible if limit=1) |} === Examples === <syntaxhighlight lang="text"> {{TOClimit|limit=1|nonum=|notitle=1|noborder=1|fontlarge=1}} </syntaxhighlight> '''Output before and after:''' <gallery widths="250" heights="250"> File:TOClimit before.png|Before File:TOClimit custom.png|After </gallery>Main levels of the TOC displayed in one row:<syntaxhighlight lang="text"> {{TOClimit|limit=1|nonum=1|notitle=1|noborder=0|fontlarge=0|inline=1}} </syntaxhighlight> [[File:TOClimit inline.png|alt=Display of the main level of the TOC in one row|center|thumb|750x750px|Inline-TOC]] __NOTOC__ __NOTOC__

Templates used on this page:

- Template:Bsvs (view source)
- Template:Bsvs/styles.css (view source)
- Template:Messagebox (view source)
- Template:Messagebox/styles.css (view source)

Return to Templates download/TOClimit.

View source for Templates download/Transclusion

You do not have permission to edit this page, for the following reasons:

- The action you have requested is limited to users in one of the groups: Users, Administrators, ES_editors, editor.
- The action you have requested is limited to users in the group: user.

You can view and copy the source of this page.

 [[Media:HW-sectiontransclusion.zip|Download]] [[File:HW-transclusion.png|450x450px]] This template allows to include a section from a wiki page on another page. It can be styled as a colored box. == Importing the template == The import file is included in the archive file "HW-transclusion-en.zip". Unpack the zip file first. On the page "Special:Import" follow these steps: #"'Select file"' and choose "HW-sectiontransclusion.xml". #"'Enter"' an Interwiki prefix. Since this field is required, simply add "hw" (for hallowelt). #"'Keep"' the selection "Import to default locations". #"'Click"' "Upload file..." . The template is now available in your wiki. ==Pages included in the import== The xml import creates

the following files in your wiki: *Template:Transclusion *Template:Transclusion/styles.css ==Using the template== #Add the template from the [[Manual:Extension/VisualEditor|VisualEditor]] insert-dialog. #Fill in the form fields as needed. {{Messagebox|boxtype=note|Note text=If, after importin the template to your wiki, the input fields are not displayed when you first integrate it into a wiki page, you need to open the template in the template namespace, make a change (e.g. insert spaces) and save the template. The input fields should now be displayed correctly.}} [[File:HW-transclusion-templatedata-en.png|alt=Input fields for transclusion|center|thumb|400x400px|Input fields for transclusion]]
 {| class="contenttable-blue" style=" width:950px;" |+ style="box-sizing: inherit; padding-top: 8px; padding-bottom: 8px; color: rgb(119, 119, 119); text-align: left;" | ! style="background-color:rgb(239, 243, 249);text-align:inherit;box-sizing:inherit;padding:4px; border:1px solid rgb(177, 185, 207);color:rgb(62, 83, 137);" |Input field ! style="background-color:rgb(239, 243, 249);text-align:inherit;box-sizing:inherit;padding:4px;border:1px solid rgb(177, 185, 207);color:rgb(62, 83, 137);" |Description |- style="box-sizing: inherit; border: 1px solid rgb(177, 185, 207); border-spacing: 0px; border-collapse: collapse; padding: 10px;" | style="box-sizing:inherit;padding:10px;border:1px solid rgb(177, 185, 207); border-spacing:0px;border-collapse:collapse;" |Page to transclude into this document | style="box-sizing:inherit; padding:10px;border:1px solid rgb(177, 185, 207);border-spacing:0px;border-collapse:collapse;" |Page name of the page containing the section (including the namespace prefix if the page is not in the main namespace). |- style="box-sizing: inherit; border: 1px solid rgb(177, 185, 207); border-spacing: 0px; border-collapse: collapse; padding: 10px;" | style="box-sizing:inherit;padding:10px;border:1px solid rgb(177, 185, 207);border-spacing: 0px;border-collapse:collapse;" |Page section | style="box-sizing:inherit;padding:10px;border:1px solid rgb(177, 185, 207);border-spacing:0px;border-collapse:collapse;" |Heading of the section you want to transclude. If a section contains sub-headings, these are included up to the next heading at the same level of the section. |- style="box-sizing: inherit; border: 1px solid rgb(177, 185, 207); border-spacing: 0px; border-collapse: collapse; padding: 10px;" | style="box-sizing:inherit;padding:10px;border:1px solid rgb(177, 185, 207);border-spacing: 0px;border-collapse:collapse;" |Color style | style="box-sizing:inherit;padding:10px;border:1px solid rgb(177, 185, 207);border-spacing:0px;border-collapse:collapse;" |If you want to apply a background color, you can select one here. Choices are: blue, green, grey, red, yellow |- style="box-sizing: inherit; border: 1px solid rgb (177, 185, 207); border-spacing: 0px; border-collapse: collapse; padding: 10px;" | style="box-sizing:inherit; padding:10px;border:1px solid rgb(177, 185, 207);border-spacing:0px;border-collapse:collapse;" |Background | style="box-sizing:inherit;padding:10px;border:1px solid rgb(177, 185, 207);border-spacing:0px;border-collapse: collapse;" |If you don't like any of the color styles, you can [https://www.w3schools.com/colors/colors_picker. asp enter your own color in hex format] (e.g. # cce6ff). |- style="box-sizing: inherit; border: 1px solid rgb(177, 185, 207); border-spacing: 0px; border-collapse: collapse; padding: 10px;" | style="box-sizing:inherit;padding: 10px;border:1px solid rgb(177, 185, 207);border-spacing:0px;border-collapse:collapse;" |Border | style="box-sizing:inherit;padding:10px;border:1px solid rgb(177, 185, 207);border-spacing:0px;border-collapse:collapse;" |Creates a border color. Apply only when you use a custom background color instead of the color style (which already uses its own border color). |- style="box-sizing: inherit; border: 1px solid rgb(177, 185, 207); border-spacing: 0px; border-collapse: collapse; padding: 10px;" | style="box-sizing:inherit;padding:10px;border:1px solid rgb(177, 185, 207);border-spacing:0px;border-collapse:collapse;" |Padding | style="box-sizing:inherit; padding:10px;border:1px solid rgb(177, 185, 207);border-spacing:0px;border-collapse:collapse;" |Distance from box to box content. Default value: 20px. You can set this to any other pixel-value or simple enter 0 for now padding. |} __NOTOC__

Templates used on this page:

- Template:Messagebox (view source)
- Template:Messagebox/styles.css (view source)

Return to Templates download/Transclusion.