

Contents


--

Templates download/TOClimit

This template can be integrated into a page using the Visual Editor

Insert>Template link.

It makes it possible to limit the heading levels that are shown in the Table of Contents of a wiki page.



Importing the template

The import file is included in the archive file *HW-TOClimit.zip*. Unpack the zip file first.

On the page *Special:Import* follow these steps:

1. **Select file** and choose *HW-TOClimit.xml*.
2. **Enter** an Interwiki prefix. Since this field is required, simply add *hw* (for hallowelt).
3. **Keep** the selection *Import to default locations*.
4. **Click** Sie *Upload file...* .

The template is now available in your wiki.


Pages included in the import

The xml import creates the following files in your wiki:

- Template:TOClimit
- Template:TOClimit/styles.css

Usage

1. **Add** the template from Visual Editor.



2. **Enter** the level of headings you want to show. Sie die Anzahl der gewünschten Überschriften-Ebenen ein (z.B.).

×

Edit: TOClimit

Apply changes

Find field

Hide unused

Limit

No numbering

No title

No border

Larger font size

Display inline

TOClimit

Customized TOC

Templates are user-generated and may lack complete descriptions. There might be additional information on this [template's page](#).

Limit

Limits heading levels (up to level 4). If value is 2, the TOC is 2 levels de [More](#)

*

No numbering

Removes numbering

☐

No title

Removes the heading

☐

No border

Removes the border

☐

Larger font size

Sets size to match the regular content size

☐

Display inline

Aligns items in one row (only possible if limit is set to 1)

☐

Headings limit 1

3. **Save the page.** The table of contents is now shown with your custom settings.

Note: -v4.1 If you need to make adjustments to the parameters after saving the template, switch to source editing mode. Since the table of contents is not shown in visual editing mode, the template will not be shown in this mode.

Parameters

The following customizations are possible:

Parameter	Possible value	Description
limit	1, 2, 3, 4	Limits heading levels (up to level 4). If the value is 2 , the TOC is 2 levels deep
nonum	0, 1	Removes numbering when set to 1
notitle	0, 1	Removes title when set to 1
noborder	0, 1	Removes border when set to 1
fontlarge	0, 1	Sets size to match regular content size when set to 1
inline	0, 1	Shows the items in a row (only possible if limit=1)

Examples

```
{{TOClimit|limit=1|nonum=|notitle=1|noborder=1|fontlarge=1}}
```

Output before and after:

Contents [hide] 1 Header level 1 1.1 Header level 2 1.2 Header level 2 2 Header level 1 2.1 Header level 2 2.2 Header level 2 3 Header level 1 3.1 Header level 2 3.2 Header level 2	1 Header level 1 2 Header level 1 3 Header level 1
Before	After

Main levels of the TOC displayed in one row:

```
{{TOClimit|limit=1|nonum=1|notitle=1|noborder=0|fontlarge=0|inline=1}}
```

Header level 1 | Header level 1 | Header level 1 |

Inline-TOC