

Contents

Setup:Installation Guide/Advanced/Backup

Contents

- 1 Manual backup 3
 - 1.1 Backup of the database 3
 - 1.2 Backup of the file system 3
- 2 Using the mediawiki-adm tool 3

Manual backup

Backup of the database

To back up your database, use the native program `mysqldump` of MySQL/MariaDB: Open a console, switch to the directory `<installpath-bluespice>` and backup your database with the following command:

```
mysqldump -u <username> -p --lock-tables <database> > database.sql
```

For `<username>`, use the administrative database user, and for `<database>`, use the database of your MediaWiki/BlueSpice installation.



On Windows, make sure that your environment variables are set correctly, so that you can access the command `mysqldump`.

Backup of the file system

Back up the complete directory `<installpath-bluespice>`, which now also includes the database image, to a different location on your server.

For security reasons, immediately delete the file `<installpath-bluespice>/database.sql`, since it can be accessed from the browser.

Using the `mediawiki-adm` tool

To eas backup and restore one can also use the `mediawiki-adm` tool. It can be downloaded here: <https://github.com/hallowelt/misc-mediawiki-adm>

Example usage:

```
mediawiki-adm wiki-backup \  
  --mediawiki-root <installpath-bluespice> \  
  --dest /mnt/backup/
```

The tool will leave out all unnecessary data (like temporary files and cache database tables)and produce much smaller backup files that the manual method described above. It also allows to create versioned backups.